



# Product Data Sheet

## PLUTUS M TBN 70

### Product Description:

**Plutus M TBN 70 marine lubricant is formulated to lubricate low-speed crosshead cylinder diesel propulsion engines. Plutus M TBN 70 marine lubricant is suitable for use in engines burning residual heavy fuels with a sulfur content of 4.0% sulfur.**

Plutus M TBN 70 marine lubricant contains a balanced additive composition used in conjunction with highly refined base oils to produce a product which imparts useful performance characteristics such as high load carrying capacity, good detergency and dispersancy properties, excellent rust and corrosion protection for all engine parts and strong alkalinity reserve to neutralize acids formed during combustion.

Plutus M TBN 70 marine lubricant is compatible with all low-speed cylinder engine marine lubricants sold in the market.

### Applications / Benefits:

- ▣ Rust and oxidation protection.
- ▣ Strong acid neutralizing properties.
- ▣ Outstanding water-shedding properties.
- ▣ Compatible with other competitive lubricants.

### Typical Characteristics:

Test Description	Method	570
SAE Viscosity Grade	SAE J 300	50
Specific Gravity @ 15 °C	ASTM D 4052	0.937
Flash Point, °C	ASTM D 92	248
Pour Point, °C	ASTM D 97	-6
Kinematic Viscosity, cSt @ 40°C	ASTM D 445	200
cSt @ 100°C	ASTM D 445	18
Viscosity Index	ASTM D 2270	100
TBN, mgKOH/g	ASTM D 2896	70
Color	ASTM D 1500	<7.5

Issued by HPURE Lubricant SG Tel: +65 6861 1157 [www.hpure-lube.com](http://www.hpure-lube.com)

Furnishing the information contained does not constitute a representation by HPURE Lubricants that any product or process is free from patent infringement claims of any 3<sup>rd</sup> party nor does it constitute the granting of a license under any patent of HPURE Lubricants or any 3<sup>rd</sup> party. HPURE Lubricants assumes no liability for any infringement which might arise out of the use of the product. The information and suggestions for use & application presented herein represent the best information available to us and are believed to be reliable. They should not, however, be construed as controlling suggestions, and users are urged to conduct confirmatory test to determine final suitability for their specific end users. HPURE Lubricants warranty only that its products meet the specifications which it sets for them and specifically DISCLAIMS ALL OTHER WARRANTIES relating to the products and the application thereof, EXPRESS or IMPLIED

including and not limited to warranties of MERCHANTABILITY and FITNESS.