



HPURE AUTOTRONIC CVTF HI

Product Description

Continuously Variable Transmission Fluid blended with high-performance fully synthetic base oils and carefully selected additives, including friction modifiers, detergent-dispersants, oxidation inhibitors, viscosity index improvers, corrosion inhibitors, and defoaming agents.

This is a new multi-vehicle automatic transmission fluid specially designed for use in latest generations of Continuously Variable Transmissions (CVT) which transfer traction via steel-made traction chains or belts. It provides outstanding power transmission ratios and better fuel-economy performance as compared with the regular automatic transmissions, with much more car makers adopting CVTs in more vehicle models.

Applications / Benefits

- y Provides excellent friction, oxidation and thermal stability
- Y Outstanding anti-wear properties and oil film thickness
- Y Excellent shear stability for consistent shift
- Y Compatible with a wide range of seals

Typical Characteristics

Test Description	Method	Unit	
Density @ 15 °C	ASTM D 4052	kg/L	0.854
Flash Point	ASTM D 92	°C	198
Pour Point	ASTM D 97	°C	-45
Kinematic Viscosity @ 40°C	ASTM D 445	cSt	34.4
Kinematic Viscosity @ 100°C	ASTM D 445	cSt	7.2
Viscosity Index	ASTM D 2270	-	180
Brookfield Viscosity @ -40°C	ASTM D2983	mPa.s	13500
Appearance	Visual	-	Green





Specifications, Approvals & Recommendations

Y AUDI/VW P/N G 052 180 (-A2) Y AUDI/VW P/N G 052 516 A2

Y BMW/ MINI/ PUNCH EZL 799 Y BMW/ MINI/ PUNCH **EZL 799A**

Y BMW P/N 83 22 0 136 376 Y BMW P/N 83 22 0 429 154

Y CHRYSLER / FCA MOPAR CVTF+4 P/N 05191184A

Y DAIHATSU AMMIX CVTF- DFE **Y** DAIHATSU AMMIX CVTF- DTC

Y DODGE/ JEEP NS-2

CVTF+4 P/N 05191184AA Y FCA

Y FORD CFT23 Y FORD CFT30 y FORD MERC C

Y FORD WSS-M2C933-A, MOTORCRAFT P/N XT-7-QCFT

Y GM **CVTF I-GREEN2** GM CVT P/N 19260800 γ

Y GM **DEX-CVT**

Y HONDA CVTF P/N 08200-9006

HMMF P/N 08260-99904 [WITHOUT STARTING CLUTCH] Y HONDA

HCF-2 P/N 08200-HCF2 Y HONDA

CVTF 3320 Y MAZDA Y MINI COOPER ZF CVT V1

Y MITSUBISHI **DIAMOND GREEN CVTF-J1 Y** MITSUBISHI DIAMOND GREEN CVTF-J4

Y NISSAN NS-1 Y NISSAN NS-2 Y NISSAN NS-3 **ELFMATIC** Y RENAULT P/N 22688912 Y SATURN Y SHELL **GREEN 1V**

Y SUBARU LINEARTRONIC CVTF

Y SUBARU LINEARTRONIC CVTF-II: P/N K0425Y0711 Y SUBARU LINEARTRONIC CV-30 P/N K0425Y0710

Y SUBARU e-CVTF i-CVTF Y SUBARU

Y SUBARU HIGH TORQUE P/N K0421Y0700

Y SUZUKI **CVT FLUID GREEN 1 CVT FLUID GREEN 2** y SUZUKI

Y SUZUKI CVTF 3320

NS-2 y SUZUKI Y TOYOTA / LEXUS FE TOYOTA / LEXUS TC

Reference No. 5800G3HINS2REV2 Last revised date: 3/5/2024

www.hpure-lube.com